

6745 Philips Industrial Blvd. Jacksonville, FL 32256 Phone: 800 -890-ITEL (4835) Fax: 904-363-2379 www.itelinc.com

STATE FARM TEST REQUEST FORM

SFPSP	
Non-SFPSP	
State :	
Vendor :	
Section :	
Unit :	
Cat Cada	

BEFORE SENDING MAKE SURE YOU...

- 1. Use one form for each flooring or siding sample.
 - Collect three samples of vinyl tile for an asbestos test.

	a sealed plastic bag if th st, least-damaged sam	•		Cat Code :
Today's Date:	Loss Date	e:	INVOICE	TO: STATE FARM
Insurance Company: STATE FARM		THIRD PARTY: (Store, contractor, independent adjuster, etc.)		
Claim Office:			Company:	
Adjuster:			Name:	
Phone (REQUIRED):			Phone (REQUIR	ED):
Fow.			Fax:	
F-mail:			E-mail:	
FORM COMPLETED			Other (<i>List</i>):	
Claim Number (REQUIRED):	:		Sample Color:	
Insured Name (REQUIRED):		Name of Area Damaged:		
City, State, Zip of Loss: (REQUIRED):				
Approximate Area of Loss: _				
Additional Comments (Manuf	acturer, brand, and s	tyle, description of sa	ample, etc.):	
ANALYSIS FOR TH	IIS SAMPLE (Include one	form per flo	poring sample):
Flooring: Carpet	□ Vinyl	☐ Laminate	□ Wood	SAMPLE REQUIREMENTS: Flooring:
Pad: ☐ Carpet P Pad analysis is included in price Asbestos: ☐ Vinyl Floor	of flooring test. Note pa	minate Underlaymer d on same form as the		 Carpets should be 10" x 10"; pads should be 6" x 6"" Smaller samples may affect accuracy. Sheet and tile vinyl should be at least 2" x 2. Send the full width and 10" of length for laminate, wood, and vinyl plank samples. If
Claim Type	Location Type Residential	ITEL US	SE ONLY	 the full width is not available, note it on the form. Three samples from randomly chosen areas of the floor are REQUIRED for vinyl tile asbestos analysis. Clearly indicate how to match each flooring sample to its form. Mark pad / underlayment on the same form as the corresponding sample.
☐ Fire ☐ Other	☐ Commercial			